

SYNERGISTIC BORIC ACID COMBINATION PEST CONTROL COMPOSITION

CROSS REFERENCE TO RELATED APPLICATIONS - NOT APPLICABLE
STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT
NOT APPLICABLE

REFERENCE TO A MICROFICHE APPENDIX - NOT APPLICABLE

BACKGROUND OF THE INVENTION

The field of endeavor to which this invention pertains relates to the control of pests including weeds, fungi, insects, and bacteria. The problems solved are excess usage of pest control agents, and pest resistance to organic biocides.

Boric acid acts as a herbicide, fungicide, insecticide, and bactericide; however, its effectiveness is not sufficient to compete with organic pest control products in many markets. The synergism of my invention allows boric acid to be used in many more markets, and the use of boric acid with organics solves pest resistance problems common to organics.

I have found that dispersants created by reacting fatty amines with aqueous aluminum, cobalt, iron, manganese, nickel, silver, and zirconium salts allow for boric acid to be combined with organic pesticides in aqueous dispersions. In the absence of alkaline or anionic components, these combinations exhibit synergistic pest control performance. Using the organic with inorganic boric acid provides assurance that resistant pest populations are unlikely to develop. Other compatible ingredients may be added to my composition.

BRIEF SUMMARY OF THE INVENTION

The present invention relates to a pest control composition comprising

- (a) about 0.05% to about 75% boric acid;
- (b) about 0.05% to about 75% of a dispersant prepared by combining an aqueous metal salt with a fatty amine wherein the metal salt is selected from the group consisting of aluminum, cobalt, iron, manganese, nickel, silver, and zirconium; and
- (c) about 0.01% to about 25% of an organic pesticide.

The object of my invention is to provide synergistic pest control with less total pesticide usage, and to prevent development of resistant pest populations.

DETAILED DESCRIPTION OF THE INVENTION

The preferred embodiment employs powdered boric acid, the dispersant prepared by combining aqueous aluminum, cobalt, iron, manganese, nickel, silver, and zirconium nitrates or chlorides with dimethylcocoamine in about 1 to 1 weight ratios, and an organic pesticide selected from the group consisting of a tetrachloroisophthalonitrile fungicide, an isothiazoline fungicide, a synthetic pyrethroid insecticide, an organic phosphate insecticide, a fipronil insecticide, a glyphosate herbicide, and a formaldehyde release bactericide. Especially preferred is chlorothalonil and propiconazole. The preferred process for making the composition consists of blending the aqueous metal salt with dimethylcocoamine, adding the boric acid, and then adding the organic pesticide. Concentrates or

treating solutions may be prepared; hence, the wide range of percentages for the components of my composition. The preferred use rate for pest control is about 0.5% boric acid, 0.5% dispersant, and 0.025% organic pesticide diluted in water. It is preferred the organic pesticides be combined with the other components if they are chemically stable, and soluble, otherwise they should be added separately to the treating solution.

Fungicides according to my preferred embodiment were tested by spraying a concrete basement wall for mold control evaluation, insecticide preparations were tested by spraying wooden cabinets and evaluating insect control when food was placed in those cabinets, herbicide preparations were evaluated by spraying a plot containing mixed weed species, and bactericide preparations were evaluated by their ability to prevent spoilage of broth. When tested in this manner the composition of my invention gave better pest control than boric acid or organic pesticide used alone at twice the rate.